

Industrial drawer 19", 1 HU

KWD-86 Keyboard drawer



Description	<p>Solid construction Compact keyboard drawer for cabinets and control units. Sliding tracks enable easy opening and closing. An integrated fixing element locks the drawer in the closed position. In the open position the pull-out drops by 7° and is fixing the drawer automatically. Front cover and und pull-out handle are made of naturally anodized aluminium.</p> <p>Light-weight well proportioned Thanks to the light weight of only 2.1 kg and dimension of 19", 1 HU and 197 cm installation depth, the drawer is the optimal solution where space is at a premium.</p> <p>Well protected The entire unit is water- and dust protected according to protection class IP65. It is perfectly suited to rugged industrial applications.</p> <p>Pleasant operation You don't have to miss any comfort. The inclination of the pull-out provides ergonomic operation. The key travel of 1.5 mm and actuating force of 0.6 N offer a pleasant haptics and tactility. Furthermore you can rely on the keys: > 1 mio. switching cycles are guaranteed.</p> <p>Perfect team The drawer and the integrated keyboard <u>KWD-86</u> make a perfectly coordinated team.</p>
Mounting	Easy installation using the standard 19" mounting holes.


BEDIENUNGSANLEITUNG OPERATING INSTRUCTIONS

tastaturen.com[®]

A GeBE COMPANY

www.tastaturen.com[®]

Technical data		
Drawer		
	Casing material:	Sheet steel
	Material front cover:	Aluminium
	Dimension:	482.60 x 197.00 x 44.40 mm
	Weight incl. keyboard:	2.1 kg
Keyboard		
Mechanics	Casing material:	Plastic
	Dimension:	298.00 x 141.81
	Cable length:	1.5 m
Keys	Key technology:	Silicone keypad with carbon contacts
	Keyboard layout:	German, US, French
	Number of keys:	86
	Operation force:	0.6 N +/- 0.1 N
	Key travel:	1.5 mm +/- 0.5 mm
	Method of lettering:	Laser
Electrical data	Interface:	USB
	Operating voltage:	+ 5 V
	Current consumption:	30 mA
Environment	Operating temperature:	from -10°C to +60°C
	Storage temperature:	from -40°C to +80°C
Operation life	Switching cycles:	> 1 mio. operations
Certificates	CE, EMC, RoHS	
Warranty	1 year	
Options	Keyboard with <u>background lighting</u> , mousdevice on the right or left	



Interface	Item number	Description	Layout
USB	KW2180	KWD-86-Schu-USB-Ger	German
	KW2212	KWD-86-Schu-USB-US	US
PS/2	KW1193	KWD-86-Schu-PS2-Ger	German
	KW1214	KWD-86-Schu-PS2-US	US
	KW2146	KWD-86-Schu-USB-FR	France