

KVD-86 Frontplate Version with Trackball

Vandal resistant stainless steel keyboard with integrated trackball as front-plate.




Description

Characteristics:

- This keyboard has 30 high-grade steel keys with a stroke of 3.5 mm. Therefore it is the first high-grade steel keyboard, that permits high-speed writing.
- The laser-etched key caps do not allow the legends to wear off, they cannot be pulled out and are not inflammable. The thick front plates of 2.5 mm high-grade steel make these keyboards extremely durable and protects them from effects by force.

Characteristics of the [Trackball](#):

- The keyboard is fitted with a 38mm stainless steel trackball. This trackball is [IP65/NEMA4](#) waterproof and has a very long lifespan due to its steel bearing shafts.



Tastaturmaße

A 392

B 150

C 35

Einbaumaße

D 382

E 140

Edelstahlfrontplatte 3,0 mm

Specification

Mechanical data

Dimensions: 392 x 150 x 35 mm

Degree of Protection: [IP65](#)

Housing: Metal

Cable Length: 180 cm

Keys

Number of Keys: 86

Keyboard Layout: German or international

Operational Life: 10 mio. keystrokes min.

Actuation Force: 0,65 N

Stroke Travel: 3,25 ± 0,25 mm

Key Legend: Laser

Electric Data

Interface: [PS/2](#) or [USB](#)

Operating Voltage: 5 V

Operating Current: 50 mA

Environment

Operating Temperature: from -20 °C to +60 °C


Storage Temperature: from -40 °C to +70 °C

Additional Information

layout: fullsize (strg, alt ...)

Order No.	Article	
<i>PS/2 connection</i>		
KV1142	KVD-86-PS2-Ger	PS/2, German
KV1146	KVD-86-PS2-US	PS/2, US
KV1333	KVD-86-PS2-UK	PS/2, UK England
KV1250	KVD-86-PS2-Nor	PS/2, Norway
<i>USB connection</i>		
KV1143	KVD-86-USB-Ger	USB, German
KV1147	KVD-86-USB-US	USB, US
KV1489	KVD-86-USB-Frazösisch	USB, France
KV1370	KVD-86-USB-GR/US	USB, US-Greek
KV1380	KVD-86-USB-TR	USB, Turkey

Links

Click!	Titel
	KVD-Series Stainless Steel Keyboards Vandal proof Keyboards.

sales@tastaturen.com Telefon: (089) 89 43 99-0 Fax: (089) 89 43 99-11