

KVS-91Track compact stainless steel keyboard

with integrated trackball



Description

The KVS-91 Track is a compact keyboard, which nevertheless affords safety and comfort. The robust construction makes it suitable for many applications, from Automisation Industry to Point of Information.

Description:

- With integrated optical [Trackball](#)
- Comfortable tactile feedback for safe data entry
- Full MF2 Layout with all control and function keys
- Protection IP65
- Plug & Play by [USB](#) connection
- also available with [PS/2](#)
- International layouts available on request
- Customisation is possible





Specification

Mechanical data

| | |
|-----------------------|----------------------|
| Housing: | stainless steel |
| Degree of Protection: | IP65 |
| Color: | silver |
| Dimensions: | 369 x 130 x 18,6 mm |
| Cable Length: | 180 cm |

Keys

| | |
|-------------------|-------------------------------|
| Key Technology: | carbon contact |
| Number of Keys: | 89+2 |
| Keyboard Layout: | US or German |
| Operational Life: | mind. 10 mio. keystrokes min. |
| Actuation Force: | 0,9 ± 0,1 N |
| Stroke Travel: | 1,6 ± 0,1 mm |
| Key Legend: | Laser |

Electric Data

| | |
|------------|---------------------|
| Interface: | USB |
|------------|---------------------|

Environment

| | |
|------------------------|-------------------------|
| Operating Temperature: | from -20° °C to +70° °C |
| Storage Temperature: | from -30° °C to +80° °C |

Order No. Article

| | | |
|--------|----------------------|-------------|
| KV1387 | KVS-91-Track-USB-Ger | USB, German |
| KV1388 | KVS-91-Track-USB-US | USB, US |

sales@tastaturen.com **Telefon: (089) 89 43 99-0 Fax: (089) 89 43 99-11**