

KWD-102 Table-Top for 19-inch-drawer

Optional with integrated fingermouse-function and background lighting. In black or gray design.



Description



Due to the complete protection of the electronic components, all contacts and mechanic guide elements the long-travel keyboard is ideal for applications in rough environments.

Further specials are on the one hand the integrated fingermouse function. Therefore, neither an external mouse nor an external [Trackball](#) is needed. On the other hand different country versions are available e.g. cyrillic, czech, norwegian, etc. The compact shape in 19-inch format saves valuable desk or workshop space. Comes with [USB](#) interface.

Features

- Complete protection of the electronic components, all contacts and mechanic guide elements against dust and water splashes.
- A finger mouse can be integrated into the cursor-up key, which makes an additional mouse unnecessary (see closeup).
- [Designed](#) for industrial use even under some of the most hostile environments.
- Double-shot moulded key tops, anti-glare and wear-resistant.

Electromagnetic compatibility (EMV), static screen: Post Vfg. 1046/1984/VDE 0871, class B., FCC part 15, subpart B, class B.

- Great tactile feedback and 3.25mm of travel make this keyboard just as comfortable and ergonomic to us as a standard office keyboard.
- Optionally with background lighting (LEDs)
- In order to avoid soiling of the key gaps we recommend the protective plastic film.
- The keyboard can be customer-specifically adapted and is available in different country version layouts.
- These keyboards are available on request at the same price with XT interface.
- Comes with USB or [PS/2](#) interface.
- According to RoHs

Specification

long travel keyboard optionally with background lighting (LEDs)

Mechanical data

Dimensions: 405 x 185 x 44 mm
 Weight: 1,4 kg
 Housing: Plastic
 Degree of Protection: [IP65](#)
 Color: computer grey or black

Keys

Key Technology: carbon contact
 Number of Keys: 102
 Keyboard Layout: German, US or MF2-Country
 Operational Life: 10 mio. keystrokes min.
 Actuation Force: 0,65 N
 Stroke Travel: 3,25 mm
 Key Legend: 2-komponent plastic molded

Electric Data

Interface: [PS/2](#) or [USB](#)
 Operating Voltage: 5 V
 Operating Current: 30 mA

Environment

Operating Temperature: from 0 °C or from - 20 °C to 50 °C or to 60 °C
 Storage Temperature: from -40 °C to 70 °C

Additional Information


Additional Feature: Fingermouse
 19 Inch: for 19 inch drawer

Order Information


Order No.	Article	
<i>XT connection</i>		
KW2163	KWD-102W-Ger-XT	XT, German, computer grey
<i>PS/2 connection</i>		
KW1013	KWD-102W-Ger-PS/2	PS/2, German, computer grey
KW1163	KWD-102W-US-PS/2	PS/2, US, computer grey
KW2092	KWD-102W-Deutsch/Kyrillisch-PS/2	PS/2, German-Cyrillic, computer grey
KW1040	KWD-102W-DK-PS/2	PS/2, Denmark, computer grey
KW1049	KWD-102W-US/Kyrilisch-PS/2	PS/2, US - Cyrillic, computer grey

KW2133	KWD-102W-US/Arabisch-PS/2	PS/2, US-Arabia, computer grey
<i>USB connection</i>		
KW2135	KWD-102W-Deutsch-USB	USB, German, computer grey
KW2156	KWD-102W-US-USB	USB, US, computer grey
KW2134	KWD-102W-Schweiz-USB	USB, Swiss, computer grey
KW2152	KWD-102W-US/Kyrilisch-USB	USB, US - Cyrillic, computer grey
<i>with fingermouse</i>		
KW1000	KWD-102W-Ger-PS/2-Fingermouse	PS/2, German, computer grey
KW1095	KWD-102W-US-PS/2-Fingermouse	PS/2, US, computer grey
KW2164	KWD-102W-Ger-USB-Fingermouse	USB, German, computer grey
<i>black</i>		
KW1212	KWD-102W-Ger-PS/2-Black	PS/2, German, black
KW2151	KWD-102W-Ger-PS/2-Black-beleuchtet	PS/2, German, black
KW2153	KWD-102W-Ger-USB-Black-beleuchtet	USB, German, black

Accessories

Order No.	Article	
ZS1011	Skin-KWD-102-W-G	n/a
ZS1249	Skin-KWD-102W-G-FM	n/a
ZK1028	COM 925 	Adapter AT to PS/2

Links

Click!	Titel
	KWD-102 Series Longtravel Keyboards in IP65 front Long travel keyboards for all types of industrial uses.

sales@tastaturen.com **Telefon: (089) 89 43 99-0 Fax: (089) 89 43 99-11**