

Product data sheet

KVS-E90-WEB - Desk Keyboard Stainless Steel with trackball

Installation via separate mounting kit. Especially suitable for adaption to terminals and control units.



waterproof

integratable



vandalism resistant

Metal

with web layout

Keyboards

Images



Product description

This KVS-E90 keyboard has an integrated trackball with 2 keys instead of the NUM-block. This saves a lot of space and the trackball is close to the rest of the keyboard. The input device is especially applicable for internet terminals or for cramped applications. Due to the desk kit the KVS-E90 can be mounted variably.

The desk kit for mounting the bolts can be ordered separately. The input device can easily be adapted at terminals or integrated in different application areas.

The desk kit allows a concealed cable routing and offers a high quality mounting solution.

Like the other keyboards of the KVS-E series this keyboard is water- and dust proof to IP65 (trackball dynamic IP54) and has a good tactile feel due to the raised keycaps. Especially applicable for internet terminals.

Features

- Variable mounting due to the separate desk kit
- Water- and dust proof to DIN IP 65 (trackball dynamic IP54)
- Especially applicable for internet terminals or cramped application areas
- Long-travel keys allow a comfortable data input

Technical data

Stainless steel keyboard desk version with integrated trackball

Mechanical data

Housing	High-Grade Steel
Degree of Protection	IP65
Dimensions	483,2 x 171,6 x 36,7 mm
Cable Length	180 cm

Keys

Operational Life	10 mio. keystrokes min.
Stroke Force	0,9 ± 0,1 N
Stroke Travel	1,6 ± 0,1 mm
Key Legend	Laser

Electric Data

Interface	PS/2
Additional Interface	for mouse PS/2

Environment

Operating Temperature	from -20 °C to +70 °C
-----------------------	-----------------------

Accessories



ZS-2-Anschlußkit

ZS2159

Order & get advice

Technical advice, samples and quantity pricing on request. Talk to us — we will configure the right version for your application.

+49 89.894399-0

sales@tastaturen.com

www.tastaturen.com

Subject to technical changes and errors. All information without guarantee. © 2026 GeBE Computer & Peripherie GmbH