

Industry · Stainless Steel Keyboards · Kiosk Systems

KVD-68 Web-Keyboard

Vandal resistant stainless steel keyboard with 65 keys as front-plate. As built-in version, with trackball.



Artikel-Nr.	KV1295
Bezeichnung	KVD-68-Track-USB-Ger
Ausführung	USB, German
Varianten	5 Ausführungen

compact

integratable





vandalism resistant

Localized

Metal

with web layout

Images



Product description

This robust stainless steel keyboard is especially designed as web keyboard with 65 keys.

The keyboard has Windows or Function keys. But it covers all the keys needed to easily surf within the Web, like <http://>, www., .com, .net, @, etc.

This keyboard has a wide range of uses in many fields due to its robust construction that is virtually indestructible. Such areas are points of information or ticketing machines.

Features

- The laser-etched key caps do not allow the legends to wear off, they cannot be pulled out and are not inflammable.
- The thick front plates of 2.5 mm high-grade steel make these keyboards extremely durable and protects them from effects by force.
- This keyboard has 65 high-grade steel keys with a stroke of 3.5 mm. Therefore it is one of the best high-grade steel keyboard, that permits high-speed writing.
- Dust- and waterproof according to DIN IP 65
- With integrated stainless-steel trackball
- Without any function- or control keys
- International layouts available
- With USB or PS/2 port

Technical data

Mechanical data

Dimensions: Trackball	350 x 129,2 x 25 mm
Degree of Protection	IP65
Cable Length	180 cm

Keys

Number of Keys	68
Keyboard Layout	Weblayout
Operational Life	10 mio. keystrokes min.
Actuation Force	0,65 N
Stroke Travel	3,25 ± 0,25 mm
Key Legend	Laser

Electric Data

Interface	PS/2 or USB
Operating Voltage	5 V
Operating Current	50 mA

Temperature

Operating Temperature	from -20 °C to +60 °C
Storage Temperature	from -40 °C to +70 °C

Order & get advice

Technical advice, samples and quantity pricing on request. Talk to us — we will configure the right version for your application.

+49 89.894399-0
sales@tastaturen.com
www.tastaturen.com

